







**Ecuador**

Based on our model, we expect there to be around 17,552 individuals (95% CI: 17,293–17,812) with DS living in Ecuador as of 2020 (10.0 per 10,000 inhabitants). The figures below provide more details and historical information on LBs and population.










***Falkland Islands***



Estimates for the Falkland Islands	
Nonselective LB prevalence of DS (as of 2020)	19.4 per 10,000 LBs
Actual LB prevalence of DS (as of 2020)	8.7 per 10,000 LBs
Number of LBs in general population per year (2016-2020)	40
Actual number of LBs of children with DS per year (2016-2020)	< 1 (1 in every 27 years)
Nonselective number of people with DS alive (as of 2020)	2 (95% CI: 0–4)
Actual number of people with DS alive (as of 2020)	1 (95% CI: 0–3)
Actual population prevalence of people with DS (as of 2020)	2.6 per 10,000 inhabitants



We consider more details not useful given the very small numbers and therefore very large uncertainty.

### French Guiana

Based on our model, we expect there to be around 160 individuals (95% CI: 135–185) with DS living in French Guiana as of 2020 (5.5 per 10,000 inhabitants). In absence of elective terminations, this would have been 352 (95% CI: 315–388). The figures below provide more details and historical information on LBs and population. However, the reader should be aware that the uncertainty is large given the small numbers.














## Guyana

Based on our model, we expect there to be around 770 individuals (95% CI: 716–824) with DS living in Guyana as of 2020 (9.7 per 10,000 inhabitants). In absence of elective terminations, this would have been 798 (95% CI: 742–853). The figures below provide more details and historical information on LBs and population. However, the reader should be aware that the uncertainty is large given the small numbers.













**Paraguay**

Based on our model, we expect there to be around 7,785 individuals (95% CI: 7,612–7,958) with DS living in Paraguay as of 2020 (11.8 per 10,000 inhabitants). The figures below provide more details and historical information on LBs and population.













**Peru**

Based on our model, we expect there to be around 38,466 individuals (95% CI: 38,082–38,850) with DS living in Peru as of 2020 (11.5 per 10,000 inhabitants). The figures below provide more details and historical information on LBs and population.













**Suriname**

Based on our model, we expect there to be around 548 individuals (95% CI: 502–593) with DS living in Suriname as of 2020 (9.0 per 10,000 inhabitants). The figures below provide more details and historical information on LBs and population. However, the reader should be aware that the uncertainty is large given the small numbers.













### Uruguay

Based on our model, we expect there to be around 3,437 individuals (95%CI: 3,322–3,551) with DS living in Uruguay as of 2020 (10.0 per 10,000 inhabitants). The figures below provide more details and historical information on LBs and population.







## Venezuela

Based on our model, we expect there to be around 31,343 individuals (95% CI: 30,996–31,689) with DS living in Venezuela as of 2020 (11.0 per 10,000 inhabitants). The figures below provide more details and historical information on LBs and population.

